

# Corneal Cross Linking i-Volution

## PXL SAPPHIRE 318



- Self-calibrating and self-adjusting
- Colour Touch Screen
- Variable settings  
3 mW – 9 mW – 18 mW  
with automatic radiation  
time adjustment



**PESCHKE**TRADE  
MedTech is our passion

# PXL SAPPHIRE 318



*The PXL SAPPHIRE 318 is portable with a high quality table mount.*

## Corneal Cross Linking

Corneal Cross Linking (CXL) is a treatment with the aim of strengthening the corneal stromal tissue through the formation of new chemical bonds between stromal fibres.

- CXL is the only effective non-invasive treatment to stop progressive keratoconus as well as related ectatic disorders (such as PMD and iatrogenic ectasia) and has a regularisation effect on corneal topography.
- In addition to its role in treating ectatic corneal diseases, CXL has an established place in the management of infectious keratitis. UV light has long been known for its ability to kill different microorganisms (such as bacterial and fungal ones). Since keratitis in humans is an important cause of blindness, and antibiotic resistance is an increasing problem worldwide, CXL proves to be an extremely valuable possibility to manage the condition with a satisfactory outcome.
- CXL treatments are inexpensive, easy to perform, and easy for the patient.

# Unique – Fast – Excellent

## Visionary MedTech for a better performance – Swiss Made

### Clinical Experience

In recent years corneal cross-linking has become the standard procedure for treating patients with progressive keratoconus and other ectatic corneal diseases because of its effectiveness and lack of serious side effects. A large number of major clinical studies has proven the effectiveness of CXL and the lack of serious side effects. More than 85% of eyes treated with CXL showed a significant increase in BCVA. Six months after the procedure cylinder was reduced in the majority of patients.

### The Device

The PXL SAPPHIRE 318 was designed with a special focus on effectiveness, safety and user friendliness.

- The touch screen allows easy operation of the system and display of all relevant treatment information.
- To offer flexibility, it enables the surgeon to choose between three energy levels:  
3 mW – 9 mW – 18 mW.
- This allows the surgeon to choose the ideal energy/time combination for the intended treatment:  
Standard – Accelerated – Express:

3 mW × 1800 sec (30 min) = 5400 mJ

9 mW × 600 sec (10 min) = 5400 mJ


18 mW × 300 sec (5 min) = 5400 mJ

- To guarantee the high level of safety the beam of the PESCHKE SAPPHIRE 318 has a waste line at a distance of 50 mm from the optics and a depth of focus of approx. +/- 5 mm.

- To protect the limbal stem cells and to focus the beam on the clear cornea only the PXL SAPPHIRE 318 has a continuously adjustable aperture from 3 mm to 12 mm.

■ The PXL SAPPHIRE 318 is available with

### Beam Characteristics



To guarantee the high level of safety the beam of the PXL SAPPHIRE 318 has a waste line at a distance of 50 mm from the optics and a depth of focus of approx. +/- 5 mm.

To protect the limbal stem cells and to focus the beam on the clear cornea only the PXL SAPPHIRE 318 has a continuously adjustable aperture from 3 mm to 12 mm.

## PXL SAPPHIRE 318

### Technical Data

Wavelength	365 nm
Illumination intensity	3 – 9 – 18 mW/cm <sup>2</sup>
Working distance	50 mm ± 5mm
Light emission	Continuous wave
Aperture	3–12 mm   Electronically adjusted
Timer	Automatic time adjustment: 30 – 10 – 5 min
Electric power	100–240V   50/60 Hz
Dimensions hard case	37 x 46 x 14 cm
Total weight	7kg



The PXL SAPPHIRE 318 comes in a sturdy transport case.



Optional Floor Mount.

Your distributor:

PESCHKE Trade GmbH  
Boesch 73 | 6331 Huenenberg | Switzerland  
Phone +41 41 784 9460 | Fax +41 41 784 9462  
info@peschke-trade.com | www.peschke-trade.com



**PESCHKE**TRADE  
MedTech is our passion